
CITY OF CONCORD

Code Administration

37 Green Street • Concord, New Hampshire 03301 • 225.8580 • Fax 225.8586

51

	APPLICATIO	N TO ERECT A SIGN		Permit #
1)	Address where sig	gn is to be erected:	10 Loudon Rd	
2)		Messo	age as shown on sign:	
		Bed Bath and Beyond		
3)		Property Owner Information	Sign Installer Information	Sian Owner Information
	Name >	DSM MB II LLC	Sundance Sign Co.	Bed Bath and Beyond
	Address >	875 EAST ST	89 Oak St.	10 Loudon Rd
	City/State/ Zip >	TEWKSBURY, MA 01876-1469	Dover, NH 03820	Concord NH
	Phone(s) >	978-640-8351	603-742-1517	03301
	E-mail >		kelly@sundancesign.com	603-228-6321
4)	Property Informa		131.0	ft
		Zone	Store/Building Frontage	Lot Frontage
5)		ÜN	ew Cation Repl	acement Existing Letter
	Type of Sign:		Freestanding DMonun	ment Removed/Removente
		☑Wall □Projecting	□Window □Awning □I	Roof DMarquee DMarker
5)	Materials to be u		letters, acrylic	
6)	How & to what is			
7)			32 ft x 8	ft equals 256 sf
		vvaii.	nath Heiaht	Total (Round up)
8)	Height Overall:	Ground to bottom of sign	ft Grou	and to top of sign
01	Illumination:		laka sa ali. Di	ninated signs are <u>NOT</u> permitted in CVP.
7)	illumination:	□ None □ External		Tor any Residential Zones
10)	Does sign projec	t over public property or sidewo	alk?	ft in
11)		How far back is leading edge		
inden and th	nnifying the City of Concord ne permit shall be valid only	against any form of liability in a minimum amount	as specified by the Finance Director. No perrollor shall provide for advance notification to	file with the Code Administrator, a certificate of insurance mit shall be issued prior to the receipt of said certificate the Code Administrator in the event of cancellation. If the
12)	Does the sign re	quire Design Review?	Y'Yes Histo	oric District Review?
	*Design review is	s required per Article 28-6-9.f, if		
		I. The sign is to be located in a	Performance (P) District	
	1	I. The Development requires M		
		1. The sign area is greater than		f Table 28-6-9.a
	IV	 The sign is the second or third 	d treestanding sign on a lot.	Continued on back
	* Damanes 6	Franted 10/2004 to allow	251 (au 2+ >5 AU)	





EXISTING SIGNAGE

DIMENSIONS: 8'-0" X 32'-0"

SQ FT: 256

blair

5107 Kissell Ave. Altoona, PA 16601

P: 814.949.8287

F: 814.949.8293

blairimage.com

PROJECT INFORMATION

CLIENT

Bed Bath & Beyond

ADDRESS:

10 Loudon Rd Concord, NH 03301

M NUMBER

96160

DATE

06-07-21

RENDE

FILE NAME:

N/A

APPROVAL

REVISION

06-17-21: Updated to new standards - ZLC 06-25-21: Repainted store front - ZLC

Drawing will expire 90 days after date on cover.If production request is sent in after 90 days, 24 hours is required to review approval.





CUSTOMER INITIALS

Initials

s

Page 3 of 8

PROPOSED SIGNAGE

DIMENSIONS: 8'-0" X 32'-0"

SQ FT: 256

STO STOLIT 130D

NA20-0024

ADDITIONAL NOTES

REMOVE EXISTING TILE, GC TO INSTALL NEW EIFS W/ 3/4" V-GROOVE LINES AS SHOWN. GC TO INSTALL NEW EIFS. PAINT COLORS AS SHOWN.

REMOVE EXISTING LETTERSET, PAINT RETURNS BLACK, THEN RE-INSTALL.
WIRING TO BE REATTACHED DURING RE-INSTALLATION. NO OTHER CHANGES
TO LETTERS.


V-Groove lines removed from Scope of Work

CITY OF CONCORD

Code Administration

37 Green Street + Concord, New Hampshire 03301 + 225.8580 + Fax 225.8586

	APPLICATIO	N TO ERECT A SIGN				Permit #	SP094-	21
1)	Address where sig	gn is to be erected:	10 Loudon Rd					
2)	Western Street		age as shown o	on sign:				
Ter	Rorary							
3)		Property Owner Information	Sign Instal	ller Informa	<u>ition</u>	Sign Ow	ner Informati	<u>on</u>
	Name >	DSM MB II LLC	Sundance Sig	ın Co.		Bed Bath a	ind Beyond	
	Addres; >	875 EAST ST	89 Oak St.			10 Loudoi	n Rd	
	City/State; Zip >	TEWKSBURY, MA 01876-1469	Dover, NH 03	820		Concord,	NH 03301	
	Phone(:) >	978-640-8351	603-742-1517			(603) 228	-6321	
	E-mail >		kelly@sundar	ncesign.co	m			
4)	Property Informa	tion: GWP	<u> </u>		131 ft			ft
		Zone	Store/Bu	ilding Frontag	ge	Ļ	ot Frontage	
5)		. UN	lew Peloco	ation 🕮	Replacen	nent		
	Type of Sign:		Freestandi	ng 🗆 Ma	nument			
		☑Wall □Projecting	□Window [Awning	□Roof	□Marque	ee 🗆 Marke	r
5)	Materials to be u	, ,	nforced banne	_				
6)	How & to what i	s sign supported:						
7)	Dimensions of sig		'-6/18 ft x	30"	ft	equals	74	st
		VVCIII.	enath	Heigh		_	Total (Parind	
8)	Height Overall:	Ground to bottom of sign	f1		Ground to	top of sign _	ft	
9)	Illumination:	X None 🗆 External	Internal			d signs are <u>N</u> ny Residentia	IOT permitted in Zones	n CVP.
10	Does sign projec	ct over public property or sidew	alk?	□ No	⋈ Yes* >	*	ft	in
11)	How far back is leading edge	of sign from ar	ny curb fac	:e?			
and t	mnifying the City of Concord the permit shall be raild only	id to locate a projecting sign over a public right-ol- l against any form of liability in a minimum amoun y so long as the certificate remains in effect. The led, the applicant shall remove the sign immediate	t as specified by the Fin policy shall provide for a	ance Director. N	lo permit shall	be issued prior to	the receipt of said ce	rtificate
12	Does the sign re	quire Design Review?	¥Yes [] No 1	Historic D	istrict Review	NS □ Aes ⋈ Ν	0
	*Design review	is required per Article 28-6-9.f. if	any of the follo	owing app	ly:			
		I. The sign is to be located in a	Performance	(P) District				
		II. The Development requires N						
		II. The sign area is greater than				e 28-6-9.a	1 × 10000000000000000000000000000000000	
	P	V. The sign is the second or thir	a treestanding	sign on a l	01.		Contin on bac	
							_	



P





EXISTING SIGNAGE

blair IMAGE ELEMENTS

5107 Kissell Ave. Altoona, PA 16601

P: 814.949.8287

F: 814.949.8293

blairimage.com

PROJECT INFORMATION

CLIENT

Bed Bath & Beyond

ADDRESS:

10 Loudon Rd Concord, NH 03301

M NUMBER:

96160

00.00

06-07-21

RENDERE

RSF

FILE NAME:

N/A

CATEGORY:
APPROVAL

REVISION

06-17-21: Updated to new standards - ZLC 06-25-21: Repainted store front - ZLC

Drawing will expire 90 days after date on cover.If production request is sent in after 90 days, 24 hours is required to review approval.



CUSTOMER INITIALS

Initials

Page 4 of 8


PROPOSED SIGNAGE

DIMENSIONS: 3'-0" X 35'-6"

SIGN SQ FT: 106.5

ADDITIONAL NOTES

BANNER TO BE IN PLACE WHILE EXISTING LETTERS ARE UPDATED.
BANNER TO BE REMOVED WHEN EXISTING LETTERS ARE REINSTALLED.



TEMPORARY BANNER

SCALE: 1/4" = 1"

Material is 13 oz. reinforced banner material w/ hand sewn hems. Grommets in corners every 2' +/- around perimeter.



5107 Kissell Ave. Altoona, PA 16601

P: 814.949.8287

F: 814.949.8293

blairimage.com

PROJECT INFORMATION

CLIENT:

Bed Bath & Beyond

DDRESS:

10 Loudon Rd Concord, NH 03301

M NUMBER

96160

DATE: 06-07-21

RSF

FILE NAME:

IV/A

106.50 SQ FT

ATLUUITI

APPROVAL

REVISION

06-17-21: Updated to new standards - ZLC 06-25-21: Repainted store front - ZLC

Drawing will expire 90 days after date on cover.If production request is sent in after 90 days, 24 hours is required to review approval.





CUSTOMER INITIALS

Initials

Page 5 of 8



CITY OF CONCORD

Code Administration

37 Green Street • Concord, New Hampshire 03301 • 225.8580 • Fax 225.8586

	APPLICATIO	NIOERECIAS						SP097	
) ,	Address where sig	gn is to be erected:	1	10 Loudon Rd					
2)			Messo	age as shown o	n sign:				
		Bed Bath and Beyo	ond						
3)		Property Owner Inf	formation	<u>Sian Install</u>	ler Informatio	<u>n</u>	Sign Ow	ner Inforn	nation
	Name >	DSM MB II LLC		Sundance Sig	n Co.		Bed Bath a	and Beyor	nd
	Address >	875 EAST ST		89 Oak St.			10 Loudo	n Rd	
	City/State/ Zip >	TEWKSBURY, MA 0	1876-1469	Dover, NH 038	820		Concord,	NH 0330	1
	Phone(s) >	978-640-8351		603-742-1517			(603) 228	-6321	
	E-mail >	3700100331		kelly@sundar					
4)	Property Informa	ition:	GWP		131	ft			ft
			Zone	Store/Bui	ilding Frontage		L	ot Frontage	
51			UN	ew 🗆 Reloca	ation MRep	olacem	nent		
5)	Type of Sign:	W. II		₩Freestandir	ng 🗆 Monu	ment		oo 🗆 🗆 M	arkor
				⊠ Freestandir	ng 🗆 Monu		ment □Marqu	ee 🗆 M	arker
5)	Materials to be u	used:	ojecting	☑Freestandir □Window □ acrylic	ng 🗆 Monu	ment		ee 🗆 M	arker
5)	Materials to be a	used: s sign supported:	ojecting Exi	Window □ acrylic	ng □Monu □Awning □	Roof	□Marqu		
5)	Materials to be u	used: s sign supported:	ojecting £ x1	Window □ acrylic to Fram 3.75′ ft x	ng 🗆 Monu	ment Roof		35	arker si
5) 6) 7)	Materials to be a How & to what i Dimensions of sig	used: s sign supported: gn:	ojecting Exi	Window acrylic Stock Fractor 3.75′ ft x	Awning C 30.625' Height	Roof	□Marqui equals	35 Total (RA	sf orind up)
5)	Materials to be a How & to what i Dimensions of sig	used: s sign supported: gn:	ojecting Exi	Window □ acrylic to Fram 3.75′ ft x	Awning C 30.625' Height	Roof " tt	equals -	35 Total 194	st Dund up)
5) 6) 7)	Materials to be a How & to what i Dimensions of sig Height Overall:	used: s sign supported: gn:	ojecting Exit	Window acrylic Stock Fractor 3.75′ ft x	30.625' Height	Roof " tt	equals -	35 Total P	st Dund up)
5) 6) 7) 8)	Materials to be a How & to what is Dimensions of significant Height Overall:	used: s sign supported: gn: Ground to bottor	ojecting Exit 1: Let m of sign external	Window acrylic that Fram 3.75′ ft x nath ft	30.625' Height Gro	Roof " tt	equals top of sign d signs are finy Residentia	35 Total P	st prind up) fi thed in CVP
5) 6) 7) 8)	Materials to be a How & to what i Dimensions of sig Height Overall: Illumination: Does sign project	used: s sign supported: gn: Ground to bottor None	ojecting Exit 1: Let m of sign external	Window acrylic The Fram 3.75′ ft x math ft Internal alk?	30.625' Height Gro	Roof " tt bund to uminate UT or an Yes* >	equals top of sign d signs are finy Residentia	35 Tolchina VOI permit	st prind up) fi thed in CVP
5) 6) 7) 8) 9) 10) 11) NOTE	Materials to be a How & to what is Dimensions of sign Height Overall: Illumination: Does sign project E. Any applicant for a perminallying the City of Concording permit shall be valid only	used: s sign supported: gn: Ground to bottor None D to over public proper	ojecting Exit Let mof sign external rty or sidewer ading edge or a public right-of- minimum amount ins in effect. The r	Window acrylic The Fram 3.75′ ft x nath ft Anternal alk? of sign from an accordance with as specified by the Fin policy shall provide for a	30.625′ Height Ground The Control of the Control o	Roof "tt bund to uminate UT or an Yes* >	equals top of sign d signs are to the sign are to the sidentical are to the sidentical are to the sign and the sign are to th	35 Total Parenting Tones fit strator, a certific the receipt of strator.	sind up) fi thed in CVP in cate of insurance and certificate
5) 6) 7) 8) 9) 10) 11) NOTE indendand till policy	Materials to be a How & to what is Dimensions of sig Height Overall: Illumination: Does sign project E. Any applicant for a perminallying the City of Concording permit shall be valid only a should lapse or be cancel	used: s sign supported: gn: Ground to bottor None None Et over public proper How far back is lea at to locate a projecting sign over t against any form of liability in a in y so long as the certificate remain	ojecting Exit Le mof sign external rty or sideward ading edge or a public right-of- minimum amount ns in effect. The r ne sign immediate	Window acrylic The Fram 3.75′ ft x nath ft Anternal alk? of sign from an accordance with as specified by the Fin policy shall provide for a	30.625′ Height Gro Internally illu No ny curb face3 ance Director No pradvance notification in	The punction of the code with the code to the code with th	equals top of sign d signs are to the sign are to the sidentical are to the sidentical are to the sign and the sign are to th	35 Total (RA) NOT permit of 7 ones fit strator, a certific the receipt of strate event of cal	fi filed in CVP ir cate of insurance and certificate incellation. If the
5) 6) 7) 8) 9) 10) 11) NOTE indendand till policy	Materials to be a How & to what is Dimensions of sign Height Overall: Illumination: Does sign project E. Any applicant for a permanifying the City of Concord he permit shall be valid only a should lapse or be cancel. Does the sign re	used: s sign supported: gn: Ground to bottor None Et over public proper How far back is lea at to locate a projecting sign over d against any form of liability in a livy so long as the certificate remainded, the applicant shall remove the	Les mot sign external rity or sidewarding edge or a public right-of-minimum amount in sin effect. The sign immediate rise	Window acrylic Window acrylic The Fram 3.75′ ft x nath ft Internal alk? of sign from an arrow and accordance with as specified by the Fin policy shall provide for a sity. (Article 28-6-11 a)	30.625′ Height Gro Internally illustration of this Ordinance, shallance Director. No pladvance notification to the this Ordinance of the this Ordinance, shallance Director. No pladvance notification to the this Ordinance.	The punction of the code with the code to the code with th	equals top of sign d signs are f y Residentia * the Code Administrator in	35 Total (RA) NOT permit of 7 ones fit strator, a certific the receipt of strate event of cal	fi filed in CVP ir cate of insurance and certificate incellation. If the
5) 6) 7) 8) 9) 10) 11) NOTE indendand till policy	Materials to be a How & to what is Dimensions of sig Height Overall: Illumination: Does sign project E. Any applicant for a perminallying the City of Concording permit shall be valid only a should lapse or be cancel. Does the sign re- *Design review	gn: Ground to bottor None How far back is lead to locate a projecting sign over diagrant any form of liability in a sy so long as the certificate remaind the applicant shall remove the equire Design Review	ty or sidewording edge or a public right-of-ins in effect. The phe sign immediate of the	Window acrylic Window acrylic The Fram 3.75' ft x nath ft Internal alk? of sign from ar way, in accordance with policy shall provide for a lety. (Article 28-6-11 a) *Yes any of the folice	30.625' Height Gro Internally illustrates of this Ordinance, shall ance Director. No pradvance notification to the Division of the Division	The punction of the code with the code to the code with th	equals top of sign d signs are f y Residentia * the Code Administrator in	35 Total (RA) NOT permit of 7 ones fit strator, a certific the receipt of strate event of cal	fi filed in CVP ir cate of insurance and certificate incellation. If the
5) 6) 7) 8) 9) 10) 11) NOTE indendand till policy	Materials to be a How & to what is Dimensions of sig Height Overall: Illumination: Does sign project E. Any applicant for a permanlying the City of Concord the permit shall be valid only a should lapse or be cancel. Does the sign re *Design review	Ground to bottor Ground to bottor None How far back is lead a projecting sign over diagranst any form of hability in a sy so long as the certificate remaind the applicant shall remove the equire Design Review is required per Articles. The sign is to be kill. The Developmen	ty or sidewarding edge or a public right-of-minimum amount in sin effect. The sine sign immediate are ease-6-9.f. if occated in a six requires Marrequires Marrequ	Window acrylic Acryl	30.625' Height Gro Internally illustrates on this Ordinance, sha hance Director. No pladvance notification to the Dwing apply: (P) District Review, Article	The punction of the punction o	equals top of sign d signs are finy Residentia the Code Administrator in strict Revie	35 Total (RA) NOT permit of 7 ones fit strator, a certific the receipt of strate event of cal	fi filed in CVP ir cate of insurance and certificate incellation. If the
5) 6) 7) 8) 9) 10) 11) NOTE indendand till policy	Materials to be a How & to what is Dimensions of sig Height Overall: Illumination: Does sign project E. Any applicant for a permonlying the City of Concorde permit shall be valid only a should lapse or be cancel. Does the sign re *Design review	Ground to bottom Ground to bottom None How far back is lead a projecting sign over against any form of hability in a sty so long as the certificate remainded, the applicant shall remove the equire Design Review is required per Article 1. The sign is to be keepers as to be the sign is to be keepers.	ty or sidewording edge or a public right-ol-minimum amount in sin effect. The sine sign immediate of the sign	Window acrylic Window acrylic Traw 3.75' ft x nath ft Internal alk? of sign from ar way, in accordance with as specified by the Fin policy shall provide for a ely (Article 28-6-11 a) *Yes any of the folicy a Performance Agjor Site Plan Re the maximum	30.625' Height Gro Internally illustrate of this Ordinance, sha cance Director No pradvance notification to the company of	The punction of the code to the code of table e 28-9-4 of table e 28-9-4	equals top of sign d signs are finy Residentia the Code Administrator in strict Revie	35 Total (Parallel International Tones) fitteriator, a certificate the receipt of state event of cat. W? □ Yes	fi filed in CVP ir cate of insurance and certificate incellation. If the





EXISTING SIGNAGE

DIMENSIONS: 130 5/8" X 165"

SQ FT: 149.7



5107 Kissell Ave. Altoona, PA 16601

P: 814.949.8287

F: 814.949.8293

blairimage.com

PROJECT INFORMATION

CLIENT

Bed Bath & Beyond

ADDRESS:

10 Loudon Rd Concord, NH 03301

M NUMBER:

96160

DATE

06-07-21

RENDERED

FILE NAME:

N/A

CATEGORY

APPROVAL

REVISION

06-17-21: Updated to new standards - ZLC 06-25-21: Repainted store front - ZLC

Drawing will expire 90 days after date on cover.If production request is sent in after 90 days, 24 hours is required to review approval.



CUSTOMER INITIALS

Initials


Page 6 of 8

PROPOSED SIGNAGE

DIMENSIONS: 130 5/8" X 165"

SQ FT: 149.7

ADDITIONAL NOTES



TENANT PANEL - QTY 2


149.7 SQ FT

SCALE: 1/2'' = 1'

NEW FLAT WHITE ACRYLIC FACE WITH 3M 3630-157 BLUE VINYL GRAPHICS WEEDED OUT TO SHOW THRU WHITE COPY & 1" WHITE BORDER

7328 FLAT .177 WHITE ACRYLIC

SPECS:





5107 Kissell Ave. Altoona, PA 16601

P: 814.949.8287

F: 814.949.8293

blairimage.com

PROJECT INFORMATION

CLIENT.

Bed Bath & Beyond

DRESS:

10 Loudon Rd Concord, NH 03301

M NUMBER:

96160

06-07-21

RENDERED.

FILE NAME:

N/A

APPROVAL

REVISION

06-17-21: Updated to new standards - ZLC 06-25-21: Repainted store front - ZLC

Drawing will expire 90 days after date on cover.If production request is sent in after 90 days, 24 hours is required to review approval.



CUSTOMER INITIALS

Initials





	SCHEDULE	
S 1	CHANNEL LETTERS	1 REQ'D
S2	TEMPORARY BANNER	1 REQ'D
S 3	PANELS ON SHARED MONUMENT	2 REQ'D



5107 Kissell Ave. Altoona, PA 16601

P: 814.949.8287

F: 814.949.8293

blairimage.com

PROJECT INFORMATION

CLIENT

Bed Bath & Beyond

ADDRESS:

10 Loudon Rd Concord, NH 03301

M NUMBER:

96160

DATE:

06-07-21

RENDERED:

RSF

FILE NAME:

...

CATEGORY: APPROVAL

REVISION

06-17-21: Updated to new standards - ZLC
06-25-21: Repainted store front - ZLC
06-29-21: Removed the faces and LEDs from the scope - ZLC

Drawing will expire 90 days after date on cover.If production request is sent in after 90 days, 24 hours is required to review approval.





CUSTOMER INITIALS


Initials





INSTALLATION EXAMPLES

















All necessary hardware to be supplied by the installer.

Service contact: 814-283-2177

Service hours: 8:00 am to 4:30 pm est, Monday -Friday
For after hours/holiday emergencies, please call 800-563-9598

www.blaircompanies.com/bpsupport

SAFETY CRITERIA

All employees are recommended to possess a valid API certification, follow the established guidelines set forth by API as well as follow any local, state, or federal laws.

- Perform a Pre-Task Job Safety Analysis
- Understand how and where to obtain First-Aid and Medical treatment, including CPR.
- Use the proper level of PPE per the assigned task.
- Only use tools that are in safe working order before using them.
- Always use tools for their intended purpose and never over their safe working limit.
- Employees operating vehicles must conform to all DOT requirements as well as API regulations.
- Use proper fall arrest equipment.
- Understand the requirements for working at height on a job site.
- Properly barricaded the work area from the public in accordance with Section 8 of the API guidelines.
- Only competent and trained people using approved equipment in a manner in accordance with Section 10 of the API guidelines should perform lifting duties.
- Follow all approved lock-out tag-out policies when de-energizing equipment.

Examples of Equipment Include: Personal Protective Equipment, Barricade, Crane, Hoist, Bucket Truck, Scissor Lift, Ladder, Vinyl Applicators (Squeegee or Application Liquid), Welder/Torch and Hand Tools/Power Tools



5107 Kissell Ave. Altoona, PA 16601

P: 814.949.8287

F: 814.949.8293

blairimage.com

PROJECT INFORMATION

CLIENT:

Bed Bath & Beyond

DDRESS:

10 Loudon Rd Concord, NH 03301

M NUMBER:

96160

.

06-07-21

RENDERI

FILE NAME:

N/A

CATEGOR

APPROVAL

REVISION

06-17-21: Updated to new standards - ZLC 06-25-21: Repainted store front - ZLC

Drawing will expire 90 days after date on cover.If production request is sent in after 90 days, 24 hours is required to review approval.





CUSTOMER INITIALS

Initials